## **Receiving Report**

Da	ite: 12-	7-1	·	Batch	No:	7777	•
Su	ipplier: MQ	fau	4005	Dart	P/0: 17	33)	
Packing Slip: Invoice: Receipt:	Yes Yes Cash	No No Cr		elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye yelete: Ye	es No es No es No 0/07/10	
Discrepancies				·		0	
Part Number	Descript	ion	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
	÷						292
				• .			
	-						
			Initials	of receiver	(if shipment	OK) Level	12
Production/Ad Date Received/Cos Initial	12-	7-1	8			Locat	ion

# **Purchase Order Receipt Listing**

Wednesday, July 18, 2012 7:29:28 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO17332 Receipt Dates from 7/18/2012 to 7/18/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

	Total Ralance Due Onantity:	To							
ଟ ଟ	Total Reject Quantity: Total Receipt Value:			- :					
_ G .∞	Total Received Quantity: Total Qty to Inspect (PO U/M):	Total		14.			į		
0	0.0000	\$478.87	5	DESJ02	40.0000	.750 f	9 4130 RD Tube:750 x.049W 122425	N <sub>o</sub>	
$\sim$	0.0000	\$11.97	40.0000	7/18/2012	7/10/2012	)W.04 f	M4130NT0.750W.04 f		2
	0.000.0	\$1,118.68		DESJ02	300.0000	<del>-1</del> 5	304 SQ Tube .75x.75x.049W 122425	0	CAD No
5	0.0000	\$3.73	300.0000	7/18/2012		Metaux Solutions 50W.049 f	VC-MET002 Metaux Sc M304TS0.750W.049 f	Name	VendorID\Vendor Name PO17332 1
500	Inspected Qty/ Rejected Qty (PO U/M)	Cost Per Unit/ Recv Value	Recv Qty (PO U/M)	Recv Date/ Recv r.mp	Required Date Required Oty	PO U/M / Stock U/M	Project ID Reference/ Description/ Cert Std	Line Proje Nbr/ Insp Req	Purchase L Order ID/ N Curr Type II

Shipping Order

09/07/2012

MÉTAUX SOLUTIONS INC

1320, VOLTA BOUCHERVILLE, QC

J4B 6G6

Tel.: 450 641-3330

- Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO **K6A 1K7** 

Order Reference *:* 79563

: 17332

Ship

: PICK UP / PICK UP

Ship To

Same

Tel.: 1 613 632-3336

V. 57.	Th			:	Ote	Qty. Delives	B/O Qty
Item No.	Description	:		}	Qty	7.	DIO SOL
SSQT34340494	304 SQ TUBE .79	50 X .049 WALL			300	300	<u></u>
•	15 X 20' *****						
	HT; 1387/		:		40	40	لرج
DT3404930	4130N TUBE .75	0 X .04 <del>9</del>			40		
	2 X 20' **** HT; 5 5 9 2	79					
	111, 53 /#	7/		r i			
				:			
				:			
	SHIP TST COLLE JP	:C1					
	ur			هر ا			<
				<u> </u>			>
·							$\sim$
				:			/
				!			6
		· .				4	
		•	! !	4 . T		•	
			2025	1-1			
				:			
		:		:			
				•			
			· · · · · · · · · · · · · · · · · · ·	:			

METAUX SOLUTIONS

72:21 2102/31/70

420-335-8239

PAGE 01/04

Shipping : Package No :\_ Merchandire Received:

# RTIFICATE OF TEST CERTIFICAT D'ESAIS

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

20252-J PART NUMBER/NUMÉRO DE PIÈCE

Page 01 of 02

Certification Date 16-JUL-2012

nvoice Number T306419

100182

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO:

METAUX SOLUTIONS

(RIVE-SUD)

VENDU À:

EXPÉDIÉ À: 2625 BOUL JACQUES CARTIER EST

1320C VOLTA BOUCHERVILLE

QC J4B 6

LONGUEUIL QC J4N 1L7

Description: 4130 CDS TUBING AMS T 6736 COND N; Line Total: 45

.750 OD X .049 W (.652 ID) X 17/24' R/L ITEM: 100182

HEAT: 559239

AMS T 6736 B

AMS 6371 J

FAR 52.225-5

AMS 2640J

ISO 9001:2000

Specifications:

MIL T 6736 B

FAR 52.225-1

ASTM A450 ASTM E1444

TS 16949:2002

AMS 6360 L DFARS 252,225-7001

ASTM Ell2

AMS 2301

CHEMICAL ANALYSIS

AL CR 0.041 0.89 CR SI P MN Ç 0.18 0.002 0.26 0.54 0.008 0.30

snCU V TI PB NI

0.012 0.002 0.003 0.001 0.13 0.07

RCPT: R240606 COUNTRY OF ORIGIN : GERMANY

MECHANICAL PROPERTIES

YLD STR ULT TEN %ELONG %RED HARDNESS PSI PSI IN 02 IN IN AREA RB DESCRIPTION 98 17.0 1.06777.0 112313.0

GRAIN SIZE :9 -

or working

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport rencontre les spécifications décrites ci-haut.

The willful recording of faise, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

9898-388-094 72:21 2102/31/70

# **CERTIFICATE OF TEST** CERTIFICAT D'ESAIS

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

20252-J PART NUMBER/NUMÉRO DE PIÈCE

Page 02 of 02

Certification Date 16-JUL-2012



Invoice Number T306419

100182

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO:

METAUX SOLUTIONS

(RIVE-SUD)

VENDÜ À:

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1L7

EXPÉDIÉ À:

1320C VOLTA BOUCHERVILLE

QC J4B 6

Description:

Description: 4130 CDS TUBING AMS T 6736 COND N; .750 OD X .049 W (.652 ID) X 17/24' R/L I

HEAT: 559239

ITEM: 100182

Line Total: 45

MATERIAL IS FREE FROM MERCURY CONTAMINATION EDDY CURRENT/MAGNETIC TEST PERFORMED

DECARB: OK AMS NO :2301 SEVERITY: 0.034 FREQUENCY: 0.049

COMMENTS

YIELD @ .2% OFFSET NAFTA COMPLIANT

12/07/19

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Ales informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport rencontre les spécifications décrites ci-hant.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

### PHOENIX TUBE COMPANY, INC.

Manufacturer of Stainless Ornamental and Structural Tubing

### **CERTIFICATION OF TEST**

Sold To: -

Ship To:

CUSTOMER ORDER#: C83891

CUST REF NBR:

DATE-SHIPPED: 06/12/12

SIZE: 3/4RD X 18 GA AW

SOURCE: USA D

VENDOR: NAS

ASTM A554-11

Specification:

ASTM-A 240 LATEST REVISION

ASTM A554 2003 SUPERSEDED

MATERIAL IS FULL SOLUTION

DFARS 252.225.7009/7014

RAW MATERIAL SPEC.

MFG USING ANNEALED, AND SHOWS NO

COMPLIANT

T304L/304 DUAL CERTIFIED

NO WELD REPAIR

ANNEALED AND PICKLED

CONTINUOUS CARBIDE

Report Date: 04/16/12

Phone# 5492603

ORDER#: 278785

GRADE: 304L

HEAT#: 8871

TEST REPORT#: TR010334

QTY SHIPPED: 600.0

NACE MR0176/01

EN 10204 2.2

PLATE, SHEET OR STRIP

WELD:

Ext:

TIG

12/07/19

**PRECIPITATION** 

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VINCITY OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

Chemical Analysis

C	MN	P	s	Si ·	CR	NI	MO	CU	CO	N2	TI
.017	1.74	.034	.018	.21	18.28	8.02	.31	.45	0	.09	0

### Physical Analysis

	YI	ELD	TEN	SILE	OTHER		
Hardness	PSI	MPA	PSI	MPA	Percent EL	Percent RA	
RB 87	51720	0	97060	0	44	a	

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS. PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted & Manufactured in the USA FAR BAA complies. DFARS BAA complies, FAR TAA complies

CERTIFIED BY:

1185 WIN DR ,BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 810-865-4073



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO17332

Purchase Order Date 6/29/12 PO Print Date 6/29/12

Page Number 1 of 1

Order From:

VC-MET002

**METAUX SOLUTIONS** 

2625 BOUL JACQUES-CARTIIER EST LONGUEUIL, QC J4N 1L7

CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

**Requisition Nbr** 

Tax Resale Nbr **Terms** 

Net 30

10127-2607

Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line Nbr Reference Description/ Req Date/ Req Qty/ Ship Method **Unit Price** Extended Mfg ID Taxable Unit of Measure **Revision ID** Price Vendor Part Number 300.00 M304TS0.750W.049 304 SQ Tube 7/10/12 TST ground \$3.8000 \$1,140.00 .75x.75x.049W Yes f Special Inst: MATERIAL; AISI 3014/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR

M4130NT0.750W.049

4130 RD Tube .750

x.049W

7/10/12

Yes

ASTM A269 MILL FINISH

0.00 TST ground

\$12.2000

\$488.00

Special Inst:

MATERIAL: AISI 4130N STEEL TUBING

AS PER

MIL-T-6736 OR AMS 6371/6360/6361/6362

6373/6374

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

PO Total:

\$1,628.00

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - (YES NO

Change Nbr:

hange Date:

6/29/12